



SuperGuard Quick OCTG Stand Protector

SuperGuard Quick OCTG stand protector is an innovative and high-end stand protector product specially developed by the **CsTeC** company. It is applicable to the double or triple pre-connection operations of tubing and casing in the oilfield sites. **SuperGuard** Quick OCTG stand protector is the first product of its kind in China, which is featuring the inflatable type internal surface. **CsTeC** owns the exclusive intellectual property rights and patent rights for this product. **SuperGuard** Quick OCTG stand protector is meticulously developed by **CsTeC** through integrating the top-quality resources within the industry and also incorporating the latest technological elements. It is mainly designed for all the related drilling and completion operations on the deepwater platforms. Its overall performance has been comprehensively verified and has reached the international leading level. **SuperGuard** Quick OCTG stand protector adopts the advanced rapid inflation and deflation technology, providing protection against foreign objects, pollution, and impact for the male thread area of the tubing and casing. **SuperGuard** Quick OCTG stand protector is easy to operate. The inflation and deflation process in a single operation cycle only takes 1 second, thereby significantly enhancing the operation efficiency and safety as well in the oilfield site. **SuperGuard** Quick OCTG stand protector also possesses high strength, super wear resistance, acid and alkali resistance, UV protection, good insulation, anti-hydrolysis, and anti-aging properties, making it an outstanding OCTG stand protector product with all the related comprehensive performance.



SuperGuard Quick OCTG stand protector is compatible with tubing and casing within the wide range of 3-1/2" – 20". It also supports customization for individual special sizes and specifications.

Features and Advantages

- Only 1 second needed for inflation & deflation
- Excellent Sealing Property
- Acid & Alkali Resistant
- High strength & Super Wear Resistant
- Customizable & In Stock
- Service Temperature Range -35°C to 65°C
- Convenient & easy to operate
- UV Resistant
- Anti-hydrolysis & Anti-aging
- Good Insulation
- Wide Size Range
- Spare Parts Easy To Replace



Applications

- Semi-Submersible Drilling Platforms
- Drillships
- Workover Rigs
- OCTG Storage Bases
- Jack-up Drilling Platforms
- Land Drilling Rigs
- Tubing & Casing Plants
- Oil & Gas Production Platforms



定制现货

SuperGuard®

油套管快速立柱护丝

充放气仅需1秒

密封性能极佳

操作便捷

高强度超耐磨

耐酸耐碱

抗水解抗老化



尺寸范围广



定制现货

CsTeC-DDV®

快速高精度气阀

高精度

多规格

通断效率高

拆装便捷

适配性强

使用寿命长



匠心打造

高端油气装备制造制造商

CS TEC

克 莱 斯 克




CsTeC®
克 莱 斯 克

Liquid-O-Ring®

SuperGuard® 油套管快速立柱护丝



工作温度 (-35°C-65°C)


CsTeC®
克 莱 斯 克

定制现货

SuperGuard®

油套管快速立柱护丝

充放气仅需1秒
密封性能极佳
操作便捷
高强度超耐磨
耐酸耐碱
抗水解抗老化



尺寸范围广

高端油气装备制造商

Classic (Shen Zhen) Energy Technology Co., Limited (CsTeC)

Address: Room 806, No. 99 Industrial 7th Road, Qianhai Shekou Free Trade Zone, Nanshan District, Shenzhen City, Guangdong Province

Postcode: 518068

Phone: +86 755-8827-1596

Website: www.classic-ap.com

E-mail: info@classic-ap.com

Wechat: CsTeC9968

